



INERTIA® CONNEXX™



MODULAR
Shank + Housing
assemblies.




CLICK-IN
Retention Tabs
hold Rod in place.




VERSATILE
MIS to OPEN
compatibility.

**MIS
OPEN
MIDLINE
REVISION
DEFORMITY
NAVIGATION**




MINIMALLY INVASIVE

MINIMALLY INVASIVE SURGICAL (MIS) PROCEDURES



THREE TOWER HEIGHTS

20mm of internal reduction for Small, Medium, and Large Towers.



INNOVATIVE INSTRUMENTS

Rod Inserters lift straight up upon Rod release.



MIS TO OPEN COMPATABILITY



OPEN + MIDLINE

DEGENERATIVE OPEN SURGICAL PROCEDURES



HOUSING OPTIONS

Standard and Reduction Housings available to meet procedural needs.



OPERATIVE FLEXIBILITY

Multiple approaches for in-situ and back table assembly of modular implants.


DEFORMITY + REVISION

MINIMALLY INVASIVE SURGICAL (MIS) PROCEDURES




CONSTRUCT VARIETY

Multiple housings and connectors for advanced deformity and revision applications.



HOUSING OPTIONS

Standard, Reduction, Dual-Rod, and Uniplanar Housings designed to correct sagittal alignment.



DEFORMITY + NAVIGATION COMPATIBILITY




NAVIGATION

MEDTRONIC STEALTHSTATION® SUPPORT



MEDTRONIC NAVLOCK®

Instruments are compatible with pre-loaded tool cards within Stealthstation® software.



SCREW COMPATIBILITY


Fully compatible with all of OPEN and MIS Inertia® Connexx™ screw assemblies.

SHANKS AND HOUSINGS - Shanks available Ø4.5-11.5mm x 20-120mm long*




HOUSING MODULARITY

All Shanks are compatible with all Housings.



SNAP-IN ROD SLOT

Patented retention tabs securely hold Rod during preliminary placement.



UNIVERSAL HOUSING

Ability to utilize both OPEN and MIS instrumentation for primary and revision procedures.



IMPLANT TRACEABILITY

Implants feature tracking tags marked with lot codes and UDI.



SHANK OPTIONS

Cannulated / Solid
Uniplanar / Polyaxial
Dual Lead / Corticocancellous

COMPATIBLE NEXXT MATRIX® PRODUCTS



Lateral +
STRUXURE® L



ALIF +
STRUXURE® A



Stand Alone
ALIF



Corpectomy



TLIF Oblique



TLIF

Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com
NexxtSpine.com




*Contact customer service at Info@NexxtSpine.com for full SKU offering. Cover image is intended only for display of available product offering and does not serve as endorsement or recommendation of specific clinical usage. For indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert or contact your local representative; visit NexxtSpine.com for additional product information.

All rights reserved. All content herein is protected by copyright, trademarks and other intellectual property rights owned by Nexxt Spine, LLC and must not be redistributed, duplicated or disclosed, in whole or in part, without the expressed written consent of Nexxt Spine, LLC. This material is intended for healthcare professionals, the Nexxt Spine sales force and authorized representatives. Distribution to any other recipient is prohibited.

70-101, Rev A

Facet Fixx®


Translaminar (TL)



Cannulated
Ø4.5, 5.0mm
Lengths 35-60mm
(5mm Increments)


Lag feature maximizes compression
of the facet articulation process.

Transfacet (TF)



Cannulated
Ø4.5, 5.0mm
Lengths 25-50mm
(5mm Increments)

Washer undersurface designed to
prevent rotation without compromising
integrity of cortical surface.




Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com

70-021, Rev E

DTS Guide

Drill, Tap, Screw



1. Insert K-Wire, Tube #1.
2. Insert Tube #2 and the DTS Guide.
3. Remove Tube #1, then Drill and Tap.
4. Remove Tube #2, then insert Facet Screw through DTS Guide.

Locking Feature retains
dilator tube during
procedure.

COMPATIBLE NEXXT MATRIX® PRODUCTS

Corpectomy



SA ALIF



ALIF




TLIF / rTLIF



TLIF Oblique



Lateral




SA Cervical



Cervical



VBRs



Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com
NexxtSpine.com




For indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert or contact your local representative; visit NexxtSpine.com for additional product information.

All rights reserved. All content herein is protected by copyright, trademarks and other intellectual property rights owned by Nexxt Spine, LLC and must not be redistributed, duplicated or disclosed, in whole or in part, without the expressed written consent of Nexxt Spine, LLC. This material is intended for healthcare professionals, the Nexxt Spine sales force, and authorized representatives. Distribution to any other recipient is prohibited.

SAXXONY®

Posterior Cervical Thoracic System



Connector Options

Variety of adjustable rod-to-rod, head-to-head, offset, and cross connectors for surgeon need.




System Compatibility

Pair with Inertia® Connexx™ using Ø3.5-5.5mm transition rods and connectors.



Screw Options

Shanks available in Ø3.5-5.0mm and with full or partial threads.



Standard Set Contents



Full Thread Screws*

Ø3.5 x 10mm	8
Ø3.5 x 12mm	8
Ø3.5 x 14mm	8
Ø3.5 x 16mm	8

Ø4.0 x 10mm	2
Ø4.0 x 12mm	2
Ø4.0 x 14mm	2
Ø4.0 x 16mm	2
Ø4.0 x 18mm	4
Ø4.0 x 20mm	4
Ø4.0 x 22mm	4
Ø4.0 x 24mm	4
Ø4.0 x 26mm	4
Ø4.0 x 28mm	2
Ø4.0 x 30mm	2
Ø4.0 x 35mm	2
Ø4.0 x 40mm	2

Prebent Rods

Ø3.5 x 20mm	3
Ø3.5 x 25mm	3
Ø3.5 x 30mm	3
Ø3.5 x 35mm	3
Ø3.5 x 40mm	3
Ø3.5 x 50mm	3
Ø3.5 x 60mm	3
Ø3.5 x 70mm	3
Ø3.5 x 80mm	3

Straight Rods

Ø3.5 x 120mm	3
Ø3.5 x 240mm	3

Transition Rod QTY

Ø3.5-5.5x400mm	3
----------------	---

Set Screws QTY

T20 Set Screw	20
---------------	----

Head to Head Conn.


H2H 25-30mm	2
H2H 30-35mm	2
H2H 35-40mm	2
H2H 40-45mm	2
H2H 45-50mm	2
H2H 50-55mm	2
H2H Set Screw	8
H2H Lock Nut	8

Cross Connectors

R2R 20-32mm	2
R2R 32-38mm	2
R2R 38-44mm	2
R2R 40-52mm	2

*Screws available
Ø3.5-5.0mm
by request

Optional Sets



Highlighted Systems



Struxxure® MCS
Single Level Plates



Struxxure® -C
Single & Multi-Level Plates



NEXXT MATRIXX® Cervical
Standalone, Standard, Convexx™

Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com
NexxtSpine.com
70-054, Rev C



Contact customer service at Info@NexxtSpine.com for full SKU offering. For indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert or contact your local representative; visit NexxtSpine.com for additional product information. All rights reserved. All content herein is protected by copyright, trademarks and other intellectual property rights owned by Nexxt Spine, LLC and must not be redistributed, duplicated or disclosed, in whole or in part, without the expressed written consent of Nexxt Spine, LLC. This material is intended for healthcare professionals, the Nexxt Spine sales force and authorized representatives. Distribution to any other recipient is prohibited.

INERTIA®

Pedicle Screw System

- Degenerative Vertebral Body Fusion
- Deformity Correction System





Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com

70-060, Rev C

HOUSING / SCREW OPTIONS

Screws available $\varnothing 4.5\text{-}10.5\text{mm}$ x 20-120mm long.

Some implants offered By Request. Contact Info@NexxtSpine.com for implant availability.



ROD FEATURES

$\varnothing 5.5\text{mm}$ - Ti-6Al-4V Alloy

Optional Hex End and Laser Lined

Straight rods are available up to 600mm


Curved, pre-cut rods are available up to 175mm

CONNECTOR OPTIONS


Ti-6Al-4V ELI per ASTM F136




Single Open
Wedding Band




Double Open
Wedding Band




Double
Closed Domino



Double Closed
Wedding Band



Inline
2 Screw



Cross Connectors
23-94mm



Offset Connectors
25-60mm

HIGHLIGHTED INSTRUMENTS

Pistol Grip Reducer
20mm of Reduction



Turbo Tower Reducer
25mm of Reduction



Screw Inserter
Auto-Locking



COMPATIBLE NEXXT MATRIX® SYSTEMS



Lateral + STRUXXURE® L




ALIF + STRUXXURE® A



SA ALIF



Corpectomy



TLIF



TLIF Oblique



Nexxt Spine, LLC
14425 Bergen Blvd, Suite B
Noblesville, IN 46060
(317) 436-7801
Info@NexxtSpine.com
NexxtSpine.com



For indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert or contact your local representative; visit NexxtSpine.com for additional product information.

All rights reserved. All content herein is protected by copyright, trademarks and other intellectual property rights owned by Nexxt Spine, LLC and must not be redistributed, duplicated or disclosed, in whole or in part, without the expressed written consent of Nexxt Spine, LLC. This material is intended for healthcare professionals, the Nexxt Spine sales force, and authorized representatives. Distribution to any other recipient is prohibited.

70-060, Rev C